

# Product datasheet

Specifications



Wall mounted enclosure,  
PanelSeT S3X, stainless steel  
304L, plain door,  
300x300x150mm, IP66

NSYS3X3315

## Main

Range	Spacial
Product Name	Spacial S3X
Enclosure Type	Multi-purpose
Category	Compact enclosure
Nominal Height	300 mm
Nominal Width	300 mm
Nominal Depth	150 mm
Product Installation	Wall-mounting
Device Composition	1 body 1 lock: door 1 door

## Complementary

Body Type	Single piece body, cross-shaped structure Gutter shaped front rail
Door Type	Plain
Number Of Doors	Front face: 1 door(s)
Door Opening Side	Reversible (120 °)
Lock Type	3 mm double-bar lock
Mounting Plate Description	Without mounting plate
Type Of Gland Plate	Without gland plate
Accessibility For Operation	Front
Removable Parts	Door by hinges
Material	Body and door: stainless steel 304L Lock: zamak Hinge: stainless steel
Surface Finish	Body and door: Scotch-Brite® brushed Lock: chromium plated
Net Weight	4.062 kg

## Environment

Standards	IEC 62208
Product Certifications	CAN/CSA 22 UL 508 type A
Ip Degree Of Protection	IP66 conforming to IEC 60529

---

<b>Ik Degree Of Protection</b>	IK10 conforming to IEC 62262
--------------------------------	------------------------------

---

<b>Environmental Characteristic</b>	Corrosive Specific hygiene
-------------------------------------	-------------------------------

---

## Packing Units

---

<b>Unit Type Of Package 1</b>	PCE
-------------------------------	-----

---

<b>Number Of Units In Package 1</b>	1
-------------------------------------	---

---

<b>Package 1 Height</b>	16.5 cm
-------------------------	---------

---

<b>Package 1 Width</b>	31.0 cm
------------------------	---------

---

<b>Package 1 Length</b>	31.0 cm
-------------------------	---------

---

<b>Package 1 Weight</b>	3.961 kg
-------------------------	----------

---

<b>Unit Type Of Package 2</b>	PAM
-------------------------------	-----

---

<b>Number Of Units In Package 2</b>	126
-------------------------------------	-----

---

<b>Package 2 Height</b>	120 cm
-------------------------	--------

---

<b>Package 2 Width</b>	100 cm
------------------------	--------

---

<b>Package 2 Length</b>	200 cm
-------------------------	--------

---

<b>Package 2 Weight</b>	487 kg
-------------------------	--------

---

## Contractual warranty

---

<b>Warranty</b>	18 months
-----------------	-----------

---

## Sustainability

**Green Premium™ label** is Schneider Electric's commitment to delivering products with best-in-class environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO<sub>2</sub> products.

**Guide to assessing product sustainability** is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

[Learn more about Green Premium >](#)

[Guide to assess a product's sustainability >](#)



Transparency RoHS/REACH

## Well-being performance

Mercury Free

RoHS Exemption Information Yes

## Certifications & Standards

Reach Regulation [REACH Declaration](#)

Eu RoHS Directive Pro-active compliance (Product out of EU RoHS legal scope)

China RoHS Regulation [China RoHS declaration](#)  
Product out of China RoHS scope. Substance declaration for your information

Environmental Disclosure [Product Environmental Profile](#)

Circularity Profile No need of specific recycling operations